PLANNING APPLICATIONS

INVALID APPLICATIONS FROM 26/09/2022 To 30/09/2022

The use of the personal details of planning applicants, including for marketing purposes, maybe unlawful under the Data Protection Acts 1988 - 2018 and may result in action by the Data Protection Commissioner, against the sender, including prosecution

FILE NUMBER	APPLICANTS NAME	APP. TYPE	DATE INVALID	DEVELOPMENT DESCRIPTION AND LOCATION
22/519	Nathy Towey,	R	26/09/2022	Retention Permission for a single storey detached warehouse building (120m2) for the storage of distilled spirits including alterations to an repositioning of the building and revised site boundaries plus carrying out all associated site development works on site previously granted permission ref. 19/379 at Knockanaconny Townland Ballaghaderreen Co. Roscommon
22/520	Seamus Sharkey,	R	26/09/2022	Permission for: 1. Change of use existing storage building to use as a vehicle maintenance workshop and store together with all ancillary site works; 2. Retention Planning Permission for 2 No. existing shipping containers on site at Circular Road Ballaghaderreen Co. Roscommon
22/523	Irish Water,	P	27/09/2022	Permission for the development of ground and roof mounted Photovoltaic Solar Panels distributed over grass areas, closed water tanks and flat roof buildings and an electrical substation/switchroom building., The solar panels and substation/switchroom will be installed with a maximum square metreage of 830 m2 and 33 m2 respectively in combination with associated ancillary works (A Natura Impact Statement will be submitted to the planning authority with the application) at Lough Gara Water Treatment Plant, Runnameelta Co Roscommn

ROSCOMMON COUNTY COUNCIL

PLANNING APPLICATIONS

INVALID APPLICATIONS FROM 26/09/2022 To 30/09/2022

The use of the personal details of planning applicants, including for marketing purposes, maybe unlawful under the Data Protection Acts 1988 - 2018 and may result in action by the Data Protection Commissioner, against the sender, including prosecution

Total: 3

*** END OF REPORT ***